

| L Number | Hits | Search Text  | DB  | Time stamp          |
|----------|------|--|---|---------------------|
| -        | 1113 | (palm\$1top lap\$1top\$1 PDA (personal adj digital adj2 assistant) (portable adj computer\$1)) same (serial adj port\$1)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/03/11<br>15:59 |
| -        | 1    | ((palm\$1top lap\$1top\$1 PDA (personal adj digital adj2 assistant) (portable adj computer\$1)) same (serial adj port\$1)) and ((multiple adj2 (application\$1 program\$1 process\$2)) with port\$1)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/03/11<br>16:05 |
| -        | 1    | "5864708".PN.  | USPAT   | 2004/03/11<br>16:04 |
| -        | 1    | "5841424".PN.  | USPAT   | 2004/03/11<br>16:04 |
| -        | 1    | "5675524".PN.  | USPAT   | 2004/03/11<br>16:05 |
| -        | 2    | ((palm\$1top lap\$1top\$1 PDA (personal adj digital adj2 assistant) (portable adj computer\$1)) same (serial adj port\$1)) and ((multiple adj2 (application\$1 program\$1 process\$2)) same port\$1)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/03/11<br>16:05 |
| -        | 113  | ((palm\$1top lap\$1top\$1 PDA (personal adj digital adj2 assistant) (portable adj computer\$1)) same (serial adj port\$1)) and ((application\$1 program\$1 process\$2) with (access\$ shar\$3) with port\$1)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/03/11<br>16:24 |
| -        | 7    | ((palm\$1top lap\$1top\$1 PDA (personal adj digital adj2 assistant) (portable adj computer\$1)) same (serial adj port\$1)) and ((application\$1 program\$1 process\$2) with (access\$ shar\$3) with port\$1)) and ((application\$1 program\$1 process\$2) with call\$1back\$3) | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/03/11<br>16:09 |
| -        | 1    | "5900875".PN.  | USPAT   | 2004/03/11<br>16:10 |
| -        | 1    | "5864862".PN.  | USPAT   | 2004/03/11<br>16:10 |
| -        | 1    | "5602997".PN.  | USPAT   | 2004/03/11<br>16:10 |
| -        | 1    | "6038457".PN.  | USPAT   | 2004/03/11<br>16:20 |
| -        | 9652 | ((application\$1 program\$1 process\$2) with (access\$ shar\$3) with (port\$1 (serial adj port\$1)))   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/03/11<br>16:30 |
| -        | 16   | ((application\$1 program\$1 process\$2) with (access\$ shar\$3) with (port\$1 (serial adj port\$1)) with synch\$)) and (palm\$1top lap\$1top\$1 PDA (personal adj digital adj2 assistant) (portable adj computer\$1))  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/03/11<br>16:36 |
| -        | 157  | ((application\$1 program\$1 process\$2) with (access\$ shar\$3) with (port\$1 (serial adj port\$1)) with synch\$)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/03/11<br>16:46 |
| -        | 2    | ((application\$1 program\$1 process\$2) with (access\$ shar\$3) with (port\$1 (serial adj port\$1)) with synch\$)) and ((application\$1 program\$1 process\$2) with call\$1back\$1)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/03/11<br>16:41 |
| -        | 5    | ((application\$1 program\$1 process\$2) with (access\$ shar\$3) with (port\$1 (serial adj port\$1)) with synch\$)) and call\$1back\$1  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/03/11<br>16:37 |

|   |     |  |   |                     |
|---|-----|--|---|---------------------|
| - | 91  | ((application\$1 program\$1 process\$2) with (access\$ shar\$3) with (port\$1 (serial adj port\$1)))) and ((application\$1 program\$1 process\$2) with call\$1back\$1)                                       | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/03/11<br>16:41 |
| - | 61  | ((application\$1 program\$1 process\$2) with (access\$ shar\$3) with (port\$1 (serial adj port\$1)))) and ((application\$1 program\$1 process\$2) with call\$1back\$1)) and synch\$                          | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/03/11<br>16:54 |
| - | 124 | ((applications programs processes) with (access\$ shar\$3) with (port\$1 (serial adj port\$1))) and callback\$1  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/03/11<br>16:48 |
| - | 119 | ((applications programs processes) with (access\$ shar\$3) with (port\$1 (serial adj port\$1))) and callback\$1) and request\$1  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/03/11<br>16:54 |
| - | 129 | ((applications programs processes) with (access\$ shar\$3) with (port\$1 (serial adj port\$1) (hardware adj2 resource\$1))) and callback\$1  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/03/11<br>16:53 |
| - | 123 | ((applications programs processes) with (access\$ shar\$3) with (port\$1 (serial adj port\$1) (hardware adj2 resource\$1))) and callback\$1) and request\$1  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/03/11<br>16:54 |
| - | 98  | ((applications programs processes) with (access\$ shar\$3) with (port\$1 (serial adj port\$1) (hardware adj2 resource\$1))) and callback\$1) and request\$1) and synch\$                                     | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/03/11<br>16:54 |
| - | 214 | ((application\$1 program\$1 process\$2) with (port\$1 (serial adj port\$1))) and callback\$1 and (palm\$1top lap\$1top\$1 PDA (personal adj digital adj2 assistant) (portable adj computer\$1))              | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/03/11<br>17:13 |
| - | 190 | ((applications programs processes) with (port\$1 (serial adj port\$1))) and callback\$1 and (palm\$1top lap\$1top\$1 PDA (personal adj digital adj2 assistant) (portable adj computer\$1))                   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/03/11<br>17:15 |
| - | 5   | ((applications programs processes) with (port\$1 (serial adj port\$1))) and callback\$1 and (palm\$1top lap\$1top\$1 PDA (personal adj digital adj2 assistant) (portable adj computer\$1))) and 718/\$.ccls. | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/03/11<br>17:16 |
| - | 24  | ((applications programs processes) with (port\$1 (serial adj port\$1))) and callback\$1 and (palm\$1top lap\$1top\$1 PDA (personal adj digital adj2 assistant) (portable adj computer\$1))) and 719/\$.ccls. | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/03/11<br>17:17 |
| - | 85  | ((applications programs processes) with (port\$1 (serial adj port\$1))) and callback\$1 and (palm\$1top lap\$1top\$1 PDA (personal adj digital adj2 assistant) (portable adj computer\$1))) and 709/\$.ccls. | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/03/11<br>17:23 |
| - | 194 | ((first adj (application program process)) with (port\$1 (serial adj port\$1))) and ((second adj (application program process)) with (port\$1 (serial adj port\$1)))   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/03/11<br>17:25 |

|   |      |  |   |                     |
|---|------|--|---|---------------------|
| - | 2    | ((first adj (application program process)) with (port\$1 (serial adj port\$1))) and ((second adj (application program process)) with (port\$1 (serial adj port\$1))) ) and callback\$1   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/03/11<br>17:26 |
| - | 15   | ((first adj (application program process)) with (port\$1 (serial adj port\$1))) and ((second adj (application program process)) with (port\$1 (serial adj port\$1))) ) and request\$1 and (palm\$1top lap\$1top\$1 PDA (personal adj digital adj2 assistant) (portable adj computer\$1)) | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/03/11<br>17:27 |
| - | 69   | ((first adj (application program process)) with (port\$1 (serial adj port\$1))) and ((second adj (application program process)) with (port\$1 (serial adj port\$1))) ) and request\$1  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/03/11<br>17:32 |
| - | 1000 | 718/100,108.ccls.  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/03/12<br>13:47 |
| - | 192  | 718/100,108.ccls. and (shar\$3 with resource\$1)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/03/12<br>13:53 |
| - | 10   | (718/100,108.ccls. and (shar\$3 with resource\$1)) and callback\$1   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/03/12<br>13:48 |
| - | 17   | (shar\$3 with resource\$1) and ((application\$1 program\$1 process\$2) with regist\$3 with callback\$1)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/03/12<br>13:56 |
| - | 209  | (shar\$4 with (resource\$1 hardware\$1 port\$1 (serial adj2 port\$1) (parallel adj2 port\$1))) and ((application\$1 program\$1 process\$2) with callback\$1)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/03/12<br>14:32 |
| - | 3068 | (shar\$4 with (resource\$1 hardware\$1 port\$1 (serial adj2 port\$1) (parallel adj2 port\$1))) and (first adj (application\$1 program\$1 process\$2)) callback\$1 and (second adj (application\$1 program\$1 process\$2))  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/03/12<br>14:54 |
| - | 230  | ((shar\$4 with (resource\$1 hardware\$1 port\$1 (serial adj2 port\$1) (parallel adj2 port\$1))) and (first adj (application\$1 program\$1 process\$2)) callback\$1 and (second adj (application\$1 program\$1 process\$2))) and 719/\$.ccls.   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/03/12<br>15:02 |
| - | 205  | ((shar\$4 with (resource\$1 hardware\$1 port\$1 (serial adj2 port\$1) (parallel adj2 port\$1))) and (first adj (application\$1 program\$1 process\$2)) callback\$1 and (second adj (application\$1 program\$1 process\$2))) and 719/\$.ccls.) and request\$1                             | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/03/12<br>14:36 |
| - | 278  | ((shar\$4 with (resource\$1 hardware\$1 port\$1 (serial adj2 port\$1) (parallel adj2 port\$1))) and (first adj (application\$1 program\$1 process\$2)) callback\$1 and (second adj (application\$1 program\$1 process\$2))) and 718/\$.ccls.   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/03/12<br>14:39 |

|   |     |   |   |                     |
|---|-----|---|---|---------------------|
| - | 4   | ((((shar\$4 with (resource\$1 hardware\$1 port\$1 (serial adj2 port\$1) (parallel adj2 port\$1))) and (first adj (application\$1 program\$1 process\$2)) callback\$1 and (second adj (application\$1 program\$1 process\$2))) and 718/\$.ccls.) and (request\$3 with (resource\$1 hardware\$1 port\$1 (serial adj2 port\$1) (parallel adj2 port\$1))) and (regist\$4 with callback\$1)                  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/03/12<br>14:41 |
| - | 9   | ((((shar\$4 with (resource\$1 hardware\$1 port\$1 (serial adj2 port\$1) (parallel adj2 port\$1))) and (first adj (application\$1 program\$1 process\$2)) callback\$1 and (second adj (application\$1 program\$1 process\$2))) and 718/\$.ccls.) and (request\$3 with (resource\$1 hardware\$1 port\$1 (serial adj2 port\$1) (parallel adj2 port\$1))) and ((applicaton\$1 program\$1) with callback\$1) | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/03/12<br>14:55 |
| - | 158 | ((((shar\$4 with (resource\$1 hardware\$1 port\$1 (serial adj2 port\$1) (parallel adj2 port\$1))) and (first adj (application\$1 program\$1 process\$2)) callback\$1 and (second adj (application\$1 program\$1 process\$2))) and 718/\$.ccls.) and (request\$3 with (resource\$1 hardware\$1 port\$1 (serial adj2 port\$1) (parallel adj2 port\$1)))   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/03/12<br>14:44 |
| - | 70  | (shar\$4 with (resource\$1 hardware\$1 port\$1 (serial adj2 port\$1) (parallel adj2 port\$1))) and (first adj (application\$1 program\$1 process\$2)) and callback\$1 and (second adj (application\$1 program\$1 process\$2))   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/03/12<br>14:55 |
| - | 21  | ((shar\$4 with (resource\$1 hardware\$1 port\$1 (serial adj2 port\$1) (parallel adj2 port\$1))) and (first adj (application\$1 program\$1 process\$2)) and callback\$1 and (second adj (application\$1 program\$1 process\$2))) and ((applicaton\$1 program\$1) with callback\$1)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/03/12<br>14:55 |
| - | 20  | ((shar\$4 with (resource\$1 hardware\$1 port\$1 (serial adj2 port\$1) (parallel adj2 port\$1))) and (first adj (application\$1 program\$1 process\$2)) and callback\$1 and (second adj (application\$1 program\$1 process\$2))) and 719/\$.ccls.  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/03/12<br>15:04 |
| - | 13  | ((shar\$4 with (resource\$1 hardware\$1 port\$1 (serial adj2 port\$1) (parallel adj2 port\$1))) and (first adj (application\$1 program\$1 process\$2)) and callback\$1 and (second adj (application\$1 program\$1 process\$2))) and 718/\$.ccls.  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/03/12<br>15:04 |
| - | 627 | 718/\$.ccls. and (shar\$4 with resource\$1) and ((access\$3 request\$3) with resource\$1)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/03/15<br>13:20 |
| - | 4   | (718/\$.ccls. and (shar\$4 with resource\$1) and ((access\$3 request\$3) with resource\$1)) and ((application\$1 program\$1 process\$2) with regist\$4 with call\$1back\$1)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/03/15<br>13:22 |
| - | 24  | (718/\$.ccls. and (shar\$4 with resource\$1) and ((access\$3 request\$3) with resource\$1)) and ((application\$1 program\$1 process\$2) with call\$1back\$1)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/03/15<br>13:28 |

|   |      |   |   |                     |
|---|------|---|---|---------------------|
| - | 2551 | ((shar\$4 with resource\$1 with (application\$1 program\$1 process\$2)) and ((access\$3 request\$3) with resource\$1 with (application\$1 program\$1 process\$2)))  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/03/15<br>13:21 |
| - | 6    | ((shar\$4 with resource\$1 with (application\$1 program\$1 process\$2)) and ((access\$3 request\$3) with resource\$1 with (application\$1 program\$1 process\$2))) and ((application\$1 program\$1 process\$2) with regist\$4 with call\$1back\$1)    | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/03/15<br>13:28 |
| - | 143  | ((shar\$4 with resource\$1 with (application\$1 program\$1 process\$2)) and ((access\$3 request\$3) with resource\$1 with (application\$1 program\$1 process\$2))) and 719/\$.ccls.   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/03/15<br>13:33 |
| - | 12   | ((shar\$4 with resource\$1 with (application\$1 program\$1 process\$2)) and ((access\$3 request\$3) with resource\$1 with (application\$1 program\$1 process\$2))) and 719/\$.ccls.) and ((application\$1 program\$1 process\$2) with call\$1back\$1) | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/03/15<br>13:33 |
| - | 390  | ((shar\$4 with resource\$1 with (application\$1 program\$1 process\$2)) and ((access\$3 request\$3) with resource\$1 with (application\$1 program\$1 process\$2))) and 710/\$.ccls.   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/03/15<br>13:35 |
| - | 5    | ((shar\$4 with resource\$1 with (application\$1 program\$1 process\$2)) and ((access\$3 request\$3) with resource\$1 with (application\$1 program\$1 process\$2))) and 710/\$.ccls.) and ((application\$1 program\$1 process\$2) with call\$1back\$1) | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/03/15<br>13:35 |
| - | 522  | ((shar\$4 with resource\$1 with (application\$1 program\$1 process\$2)) and ((access\$3 request\$3) with resource\$1 with (application\$1 program\$1 process\$2))) and 709/\$.ccls.   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/03/15<br>13:35 |
| - | 17   | ((shar\$4 with resource\$1 with (application\$1 program\$1 process\$2)) and ((access\$3 request\$3) with resource\$1 with (application\$1 program\$1 process\$2))) and 709/\$.ccls.) and ((application\$1 program\$1 process\$2) with call\$1back\$1) | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/03/15<br>13:35 |